



PRODUCT CATALOG



Professional Grade
Researched to High Specifications

www.firstchoicepool.com



The Brand EXCLUSIVELY for Pool Professionals

How many times have you felt yourself wanting to SCREAM after taking the time and effort to diagnose a customer's pool, chemical or equipment needs, quote exactly what's needed to correct the situation, and then be told, "I can buy it for a lot less on the Internet or at the local big box store".

That's why we introduced FIRST CHOICE, a private label brand exclusively for POOL PROFESSIONALS. First Choice features a full line-up of proven chemicals, equipment and supplies. These products have been field-tested for years, by demanding professionals like you. Best of all, First Choice Products are off-limits to Internet and mass retail merchants. So, NO CUSTOMERS can ever claim to buy it for less online... or at a local chain store.

Isn't it time that you be fairly compensated for your expertise? Take control of your earning power. Make First Choice Your ONLY Choice.



WATER TREATMENT

ALGAE CONTROL

4 Month Algaecide

Effective copper based algaecide specially designed to economically destroy and prevent mustard algae growth for up to 4 months.

FCH206032	1qt
FCH206004	1gal

Algaecide 60

Concentrated, non-foaming 60% polymer algaecide. Controls and prevents green, black and mustard/yellow algae. Very good for shady pools.

FCH206132	1qt
FCH206128	1gal

Keep Clear Concentrated Algaecide

Cost-effective preventative algaecide. 50% Ammonium Quat formula, works well against green and blue/green algae.

FCH206232	1qt
-----------	-----

Black Out

Kills algae, as well as eliminates black and green algae spots in white plaster pools. Made from 99% pure Trichlor granules. Not intended for use on painted, vinyl-lined, fiberglass or colored plaster pools.

FCH206002	2lb
FCH206005	5lb
FCH206010	10lb
FCH206025	25lb
FCH206050	50lb

Green Relief

Effective for prompt clean up of both yellow and green algae. This product works with an EPA-registered chlorine to safely clean up pool algae blooms. Safe to use in any gunite, vinyl, plaster or fiberglass pool.

FCH206202	2lb
FCH206204	4lb
FCH206225	25lb

Yellow Algae Eliminator

Yellow Algae Eliminator is a powerful granular formula that quickly destroys yellow/mustard algae outbreaks in swimming pools.

FCH206102	2lb
FCH206110	10lb
FCH206125	25lb



Pool Care Plus

Unique 3-in-1 formula helps maintain a crystal clear, algae free pool! Removes and helps maintain low phosphate levels to keep the pool functioning optimally. Additionally, it uses enzymes to naturally degrade oils and lotions to clear the water. It also contains clarifiers that allow the filter to remove contaminants efficiently. Recommended for weekly use.

FCH209072	1qt
FCH209074	1gl



Super Clarifier

Concentrated clarifier restores sparkle by removing particles that can cloud the appearance of water. Improves filter efficiency and reduces sanitizer demand by coagulating, then removing organic particles.

FCH209132	1qt
FCH209104	1gal



Metal-Out Plus

Removes existing stains and prevents future metal stains on pool surfaces. Sequesters metals in the water to prevent stain and scale formation. Removes or lightens existing discolorations caused by metals, and chelates metals to help protect equipment from scale formation.

FCH209232	1qt
-----------	-----



Super Floc-Out

Highly effective clarifier causes suspended debris to settle on the bottom where it can be removed by vacuuming. Promotes sparkling clear water.

FCH209332	1qt
-----------	-----



Defoamer

Defoamer eliminates un-desirable foaming in pools, spas & fountains. Does not adversely affect water chemistry.

FCH209432	1qt
FCH209434	1gl



Filter Cleaner & Degreaser

Cleans dirt, calcium & oils from filter media. Safe and effective for use on all types of filters. Restores filter function to maximum efficiency. Can be used with either a spray on or soak method.

FCH209532	1qt
-----------	-----



See page 6 for Pool Care Tips

Chlorine Neutralizer

Reduces excessive chlorine or bromine levels to a more comfortable level. Great for use after super-chlorination or shocking to make water safe for swimmers.

FCH209602	2.25lb
FCH209605	5lb



EZ Cover

Minimizes heat loss by forming a harmless, invisible barrier on the surface of water to reduce evaporation and heat loss. It is a safe family friendly alternative to traditional bubble covers. Provides convenient long-lasting protection that not only saves water but helps extend the pool season for maximum enjoyment.

FCH209062	1qt
FCH209064	1gal



Pool-Zyme

Specially formulated with enzymes that completely eliminate unsightly oil rings at the water line caused by body oils, suntan lotions and oils. Product is concentrated, biodegradable and environmentally safe.

FCH209572	1qt
FCH209574	1gal



X-Tract Stain Remover

Is a high powered stain remover. This product is a granular formula that can treat the whole pool or be applied directly on the stain.

FCH209702	2lb
-----------	-----



Phosphate Remover

Removes phosphates from water and helps prevent algae growth. Compatible with all pool chemicals and safe for use in pools, spas, & fountains.

FCH209032	1qt
FCH209128	1gal



Phosphate Remover 10K

Removes up to 10,000 ppb of orthophosphate in 10,000 gallons. Helps prevent algae growth. Compatible in use with all pool chemicals. Enhances the performance of salt generators. May cloud water, works well in conjunction with water clarifier.

FCH209028	1qt
FCH209030	1gal



Clear Out Extreme

Commercial strength clarifier in tablet form. These super strong small tablets improve filtration and create clear sparkling water. Works with all filtration methods

FCH209133	1.5lb
-----------	-------



Scale Stop

Sequesters and chelates metals as well as minerals that cause stains and scale buildup. It removes calcium, scale, and inhibits the formation of new scale. Works equally well in all pool types.

FCH209887	1qt
FCH209888	1gal



Start-Up Plus

Significantly reduces plaster dust, lowering the amount of brushing time required. It inhibits metals and minerals from mottling or discoloring the surface of pool finishes. Works with all pool finishes.

FCH209999	1gal
-----------	------



WATER TREATMENT SHOCKS

Cal-Shock

Excellent formulation for super-chlorination shock treatments. Quick dissolving, 68% Calcium Hypochlorite kills algae, bacteria and destroys organic contaminants.

FCH208001	1lb
FCH208005	5lb
FCH208025	25lb
FCH208050	50lb
FCH208101	100lb



No-Chlor Shock

Non-chlorine oxidizing granules, quickly destroy bather waste and other contaminants that can cause odors, eye irritation and cloudy water. Swim again in 15 minutes.

FCH207401	1lb
FCH207402	2lb
FCH207406	6lb
FCH207425	25lb



MULTI USE SCOOP

A quick and easy to read scoop that accurately measures DE, soda ash, sodium bicarbonate and cyanuric acid.

FCH256000	
-----------	--



See page 6 for Pool Care Tips

SANITIZERS

Chlorinating 1" & 3" Tablets

Slow dissolving tablets that provide continuous disinfection when used in a floater or feeder. Stabilized 98.6% pure Trichloro-s-triazinetrione provides 90% available chlorine for effective sanitizing.

Chlorinating 1" Tablets

FCH204002	1.75lb
FCH204005	5lb
FCH204010	10lb
FCH204025	25lb
FCH204050	50lb

Chlorinating 3" Tablets

Wrapped

FCH203105	5lb
FCH203110	10lb
FCH203120	20lb
FCH203125	25lb
FCH203135	35lb
FCH203050	50lb

Unwrapped

FCH203005	5lb
FCH203010	10lb
FCH203020	20lb
FCH203025	25lb
FCH203035	35lb
FCH203150	50lb



Brominating Tablets

Small bromine tablets for use in automatic feeders. Bromine sanitizing provides the advantage of less odor and increased sanitization in a wider range of pH levels than chlorine.

FCH209002	1.5lb
FCH209004	4lb
FCH209025	25lb
FCH209050	50lb



Multi-Chlorinator

Fast dissolving granules are perfect for daily chlorination or super chlorination. Stabilized 99% pure Dichloro-s-triazinetrione provides 56% available chlorine for easy sanitizing.

Granular

FCH205001	1lb
FCH205002	2lb
FCH205005	5lb
FCH205010	10lb
FCH205025	25lb
FCH205050	50lb



BALANCERS

pH Plus

Effectively raises pH in pools and spas. Keeping proper pH levels enable pool sanitizers to work at maximum efficiency and aid in the prevention of scaling, staining and cloudy water. Made with 100% sodium carbonate.

FCH207202	2lb
FCH207205	5lb
FCH207210	10lb



pH Minus

Safely lowers pH in pools and spas. Keeping proper pH levels enable pool sanitizers to work at maximum efficiency. Aids in the prevention of scaling, staining and cloudy water. Contains 93.2% pure sodium bisulfate.

FCH207303	3lb
FCH207306	6lb
FCH207360	60lb



Alkalinity Increaser

Raises total alkalinity in pools and spas. Maintaining proper alkalinity levels helps prevent pH fluctuations.

FCH207505	5lb
FCH207510	10lb



Calcium Increaser

Raises calcium hardness of pool water. Proper calcium levels are important to prevent foaming, staining, equipment corrosion, etching and scaling of surfaces.

FCH207704	4lb
FCH207708	8lb



Stabilizing Conditioner

Improves effectiveness of sanitizer and helps reduce chlorine loss from sunlight exposure. Made with 100% cyanuric acid.

FCH207102	2lb
FCH207104	4lb
FCH207109	9lb



See page 6 for Pool Care Tips

POOL CARE TIPS

POSSIBLE CAUSE	SOLUTION	PREVENTATIVE MAINTENANCE
Problem: CLOUDY WATER		
Dirty filter	Use Filter Cleaner & Degreaser to clean filter elements.	Backwash as necessary and/or clean filter thoroughly.
pH too high	Test pH and Total Alkalinity. Add pH Minus as directed. Adjust as necessary.	Test weekly and maintain pH of 7.4 to 7.6 and total alkalinity of 80-120 ppm.
Free chlorine residual too low	Test for chlorine residual and adjust by adding proper amount of Multi Chlorinator using 1lb bag per 10,000 gallons.	Maintain free chlorine level of 1-4 ppm using First Choice Chlorinating Tablets.
Filter not removing small particles	Use Super Clarifier to coagulate small particles. Monitor filter pressure and clean as needed using Filter Cleaner & Degreaser.	Use Super Clarifier weekly, 1 oz. per 5,000 gallons.
Problem: GREEN CLOUDY WATER		
Green algae	Use Algaecide 60 or 4 Month Algaecide to destroy algae. Then use Super Clarifier or Super Floc-Out as needed to help remove dead algae.	Use Keep Clear Concentrated Algaecide weekly. Maintain free chlorine level of 1-4 ppm using First Choice Chlorinating Tablets.
Problem: BLACK SPOTS		
Black algae	For white plaster pools only apply Black Out directly to spots according to package directions.	Use 2-4 oz. of Algaecide 60 weekly. Maintain free chlorine level of 3.0 ppm.
Black algae	For colored plaster, painted, vinyl lined or fiberglass pools use 11-17 oz. of Algaecide 60. Brush and vacuum pool to remove dead algae.	Use 2-4 oz. of Algaecide 60 weekly. Maintain free chlorine level of 3.0 ppm.
Problem: YELLOW DEPOSITS		
Mustard algae	Add Yellow Algae Eliminator or Algaecide 60 or 4 Month Algaecide according to directions. Brush affected areas and use Super Floc-Out before vacuuming to remove dead algae. Clean or Backwash filter.	Use Keep Clear Concentrated Algaecide weekly. Maintain free chlorine level of 1-4 ppm using First Choice Chlorinating Tablets.
Problem: RECURRING ALGAE		
High phosphate levels	Test for phosphates and add Phosphate Remover according to directions.	Add 2 oz of 4 Month Algaecide weekly. Maintain free chlorine level of 1-4 ppm using First Choice Chlorinating Tablets.
Problem: BROWNISH or CLEAR GREEN WATER		
Dissolved minerals in water	Add 16 oz of Metal-Out Plus per 10,000 gallons to isolate and suspend minerals/metals in water.	Add 2 oz of Metal-Out Plus per 10,000 gallons weekly.
Problem: CALCIUM, SCALE DEPOSITS		
pH or alkalinity too high	Correct with pH Minus as directed.	Add 2 oz of Metal-Out Plus per 10,000 gallons weekly. Test weekly and maintain pH of 7.4 to 7.6 and total alkalinity of 80-120 ppm.
Calcium levels too high	Dilute pool water with fill water of lower hardness. Add Metal-Out Plus as directed.	Add 2 oz of Metal-Out Plus per 10,000 gallons weekly or add 64 oz of Scale Stop per 10,000 gallons then 32 oz of Scale Stop regularly.
Problem: SKIN & EYE IRRITATION		
Combined chlorine level is too high	Shock treat with No Chlor non-chlorine oxidizer. Test for free chlorine and adjust to maintain free chlorine level of 1-4 ppm.	Keep free chlorine level at 1-4 ppm and add No Chlor after heavy pool usage.
pH level too high or too low	Test pH and adjust to 7.4 to 7.6 using pH Plus or pH Minus as appropriate.	Test weekly and maintain pH of 7.4 to 7.6 and total alkalinity of 80-120 ppm.
Problem: CHLORINE ODOR		
Combined chlorine level is too high	Shock treat with No Chlor non-chlorine oxidizer. Test for free chlorine and adjust to maintain free chlorine level of 1-4 ppm.	Keep free chlorine level at 1-4 ppm and add No Chlor after heavy pool usage.

WATER TESTING

TEST KITS

Test solutions and solutions created to professional specifications, but designed for ease of use.

Cyanuric Acid

FCH305102 8oz



2-Way OTO

Analyzes chlorine/bromine and pH

FCH305301



5-IN-1 OTO

Analyzes chlorine/bromine, pH, alkalinity and acid demand

FCH305501



TEST TABLETS

FCH304001 DPD #1 50 per bag

FCH304003 DPD #3 100 per box



REAGENTS



- FCH304101 #1 Solution OTO yellow/chlorine, 1oz
- FCH304108 #1 Solution OTO, 8oz
- FCH304201 #2 Solution, phenol red pH 1oz
- FCH304208 #2 Solution, phenol red 8oz
- FCH304301 #3 Solution, alkalinity/acid 1oz
- FCH304400 #4 Solution, neutralizer 1/2oz
- FCH304500 #5 Solution, total alkalinity 1/2oz
- FCH304517 Cyanuric acid 8oz
- FCH304518 Cyanuric acid 32oz
- FCH304519 Cyanuric acid 128oz (gallon)

TEST STRIPS

Offer service professionals a convenient test for all of the critical parameters. Dip test strip in your pool or spa water as instructed and remove. You will get test results in seconds! For a clean and healthy pool, test the water at each end a minimum of twice a week!



4-IN-1

Designed to be the go-to product for testing the important factors in your pool. The strips measure Free Chlorine: 0-10 ppm, pH: 6.2-8.4, Total Alkalinity: 0-240 ppm, and Stabilizer (Cyanuric Acid): 0-300 ppm.

FCH304641 50 count



5-IN-1

5-in-1 focuses on the most critical parameters that need to be tested on a regular basis. Popular with service professionals. Measures, Total Chlorine: 0-10 ppm, Total Bromine: 0-20 ppm, Free Chlorine: 0-20 ppm, pH: 6.2-8.4, Total Alkalinity: 0-240 ppm

FCH304651 100 count



7-IN-1

The 7-in-1 is our most comprehensive test strip. Trusted by service professionals, this test strip tests for seven key factors in seconds. Parameters measured: Total Hardness: 0-1,000 ppm, Total Chlorine: 0-10 ppm, Total Bromine: 0-20 ppm, Free Chlorine: 0-20 ppm, pH: 6.2-8.4, Total Alkalinity: 0-240 ppm, and Stabilizer (Cyanuric Acid): 0-300 ppm

FCH304671 100 count



Phosphate

One step, one-minute phosphate test. Even low levels of phosphate can lead to algae in your pool or spa. This test uses powder pillows and vials, which offer increased sensitivity at the lower ranges. The powder pillows are less susceptible to damage by heat and humidity and offer a 5-year shelf life.

FCH304681 25 count



Salt

Our salt test strips are ideal for pool that have salt generator systems. Maintaining the correct level of salt is key to ensuring that your salt generator can produce the correct amount of chlorine to keep the water clean and free of contaminants. In just minutes, measure salt levels from 400 to 7,000 ppm (sodium chloride).

FCH304691 10 count

MAINTENANCE ITEMS

LEAF RAKES

EAGLE Leaf Rake with 14in Net

- Long lasting “super pick-up” lip
- Black durable stiff mesh netting
- Metal handle for superior strength

FCH303705



HAWK Leaf Rake with 18in DEEP Net

- Long lasting “super pick-up” lip
- Black durable stiff mesh netting
- Extended length bag
- Metal handle for superior strength

FCH303706



FALCON Leaf Rake 18in DEEP FINE Mesh Net

- Long lasting “super pick-up” lip
- White fine mesh netting
- Extended length bag
- Metal handle for superior strength

FCH303707



OSPREY EASY FLIP Rake 18in DEEP Net

- Long lasting “super pick-up” lip
- White flexible coarse mesh netting
- Extended length bag
- Metal handle for superior strength

FCH303708



BRUSHES

22in Power GRIT Brush

- Silicon Carbide bristles
- Strong metal handle
- Better/easier to use than stainless bristles
- Curved ends for hard to reach corners
- Great for “pebble” pool surfaces
- Magnetic endcaps to pick up metal

FCH303710



22in All Purpose PBT Brush

- Polybutylene plastic bristles
- Strong metal handle
- Stays flexible longer than polypropylene
- Curved ends for hard to reach corners
- Magnetic endcaps to pick up metal

FCH303711



22in COMBO - GRIT & PBT Brush

- 50/50 GRIT & PBT bristles
- Strong metal handle
- Curved ends for hard to reach corners
- Magnetic endcaps to pick up metal
- Great “all the time” aggressive brush

FCH303712



MAINTENANCE ITEMS

VACUUM HOSES

Preferred All-Purpose Residential Vacuum Hose



- Great flexibility
- Swivel cuff
- Highly resistant to UV

FCH307125	1½in x 25ft Vacuum hose w/swivel cuff
FCH307130	1½in x 30ft Vacuum hose w/swivel cuff
FCH307140	1½in x 40ft Vacuum hose w/swivel cuff
FCH307150	1½in x 50ft Vacuum hose w/swivel cuff

Professional Series Vacuum Hose



- The highest manufacturing standards and materials
- Exceptional durability and crush proof
- Superior flexibility
- Industry best 60 month warranty

FCH307350	1½in x 50ft Professional vacuum hose w/swivel cuff
-----------	--

Backwash Hose



FCH307250	2in x 50ft
FCH307200	2in x 200ft

POLES



Professional grade aluminum telescoping poles. Made in America with heavy duty, durable materials. Available with either Internal or External locking cams and a 3 Piece Pole. All models feature our NEW Custom Red Grip.

FCH303316	External lock 8x16ft with custom red grip
FCH303416	Internal lock 8x16ft with custom red grip
FCH303418	3 Piece Pole 6x18ft with DUAL cams. Locks inside & outside. Custom red grip
FCH303318	New - T-pole snap button lock 8ft to 16ft

FLOATING CHLORINATORS



Constructed from a thick, durable ABS plastic, intended to last through weathering and extended usage.

FCH308101	Holds 1in tablets or stick
FCH308103	Holds 3in tablets or stick
FCH308203	Long canister, holds 3in tablets or stick, up to 4lbs

EQUIPMENT PUMPS

First Choice equipment has the right product for every application. Designed, engineered, and manufactured proudly in the USA.

Variable Speed Pump 2.7 hp

Features:

- High Performance and Ultra Quiet Variable Speed Pool & Spa Pump provides you with up to 90% energy savings.
- Innovative, Patent Pending technology automatically actuates a Diverter Valve to direct the flow of water to the Pressure Pool Cleaner and increase the pump speed and pressure.
- Built in Pool Control – easily program various day, time, and speed settings, and actuate Diverter Valves to run in Pool Filtration, Spill Over and Spa Mode.
- The latest technology Variable Speed Motors, totally enclosed construction with a powerful external fan – protects the motor against dirt and moisture and provides for extremely cool operation of the motor.
- Unions included with pump.
- Adjustable Base Kit sold separately.

FCH411124 2.7 hp



Variable Speed Pump 1.4 hp

Features:

- **Changes from 230V to 115V at the flip of a switch**
- High performance & ultra quiet variable speed pool & spa pump provides up to 90% energy savings
- No drop in horsepower at either voltage!
- Built in pool control – easily program various day, time and speed settings, and actuate diverter valves to run in pool filtration, spill over and spa mode
- Innovative, patent pending technology automatically actuates a diverter valve to direct the flow of water to the pressure pool cleaner and increase the pump speed and pressure
- The latest technology variable speed motor, totally enclosed construction with a powerful external fan – protects the motor against dirt and moisture and provides for extremely cool operation of the motor

FCH411131 1.4hp

**NEW MOTOR
TECHNOLOGY**



SMF Pump

Features:

- Low head for smaller pools
- One piece pot & volute reduces noise
- Complete with 2 swivel union assemblies for precise alignment and plumbing adaptability
- Adjustable base included

Single Speed

FCH412005 .95 THP



Universal Booster Pump

Features:

- Equipped with high efficiency square flange ¾hp, 230/115V motor. Provides extra quiet, long life operation and optimum energy efficiency.
- Maintains one of the highest head pressures in the industries
- Suitable for all swimming pool pressure cleaners
- Best replacement for any ¾hp booster pump
- Comes with a tall, versatile mounting base

FCH414005 ¾hp





VARIABLE SPEED PUMPS

1.40 HP

Dual Voltage 115V / 230V Variable Speed Pump

FEATURES:

- High Performance & Ultra Quiet Variable Speed Pool Pump provides you with optimal energy savings.
- No drop in HP at either voltage
- 2 year warranty from purchase date
- D.O.E. and C.E.C. compliant



Power Defender
Variable Speed
Pumps are Energy
Star Approved!



2.0

2.7 HP

Variable Speed Pump



Designed, Engineered &
Manufactured in the USA.



EQUIPMENT FILTERS

Crystal Water D.E. Filter

The only D.E. filter on the market with 2½in internal piping, improves flow and reduces system noise when using 2½in, 2in or 1½in plumbing. With the 2in bottom clean out port, the Crystal Water D.E. Filter will provide years of trouble-free operation and crystal clear, sparkling water.

Features:

- NSF listed
- 2½in internal piping
- 2½in valve bulkhead unions (includes 2in and 1½in reducers)
- Fiberglass reinforced polypropylene body for superior strength
- Heavy-duty tamper-proof clamp
- Industry-proven D.E. grids
- Start-service dial on stainless steel pressure gauge
- 1½in bottom clean-out port
- 2½in hi-temp PVC slide valve available
- 2½x2in Multi-port valves—available in slip or FPT

FCH700036 36 sq ft

FCH700048 48 sq ft

FCH700060 60 sq ft

Crystal Water Cartridge Filter

The only cartridge filter on the market with 2½in internal piping, improves flow and reduces system noise when using 2½in, 2in or 1½in plumbing. Using four cartridge elements, the Crystal Water Cartridge Filter offers a superior choice for easy maintenance and crystal clear, clean water.

Features:

- NSF listed
- 2½in internal piping
- 2½in valve bulkhead unions (includes 2in and 1½in reducers)
- Fiberglass reinforced polypropylene body for superior strength
- Heavy-duty tamper-proof clamp with removal tool
- Industry proven quad-cartridge elements layout
- Start-service dial on stainless steel pressure gauge
- 1½in bottom clean-out port
- Convertible to D.E. by simply changing internals

FCH701325 325 sq ft

FCH701425 425 sq ft

FCH701525 525 sq ft



Backwash Valves



FCH903200 2in Multi-port valve D.E. filter

FCH903202 2½in Slide valve for Ultra Clean Pro Sand Filter

FCH903203 2½in Slide backwash valve for D.E. Filters

Carefree Top-Mount Sand Filter

- Large filter with extra sand-holding capacity
- Durable roto-molded oval tank body distributes the pressure evenly resulting in greater strength and longer life of the filter
- One-piece corrosion proof body
- High flow internal diffuser for even water distribution
- 7 function top-mount 1½in FPT multi-port valve with split-nut lock union (WVS003)
- 1½in drain port
- Mounting base included

FCH702161 16in

FCH702191 19in

FCH702261 26in

FCH702262 26in side mount valve



Single Cartridge Filter

Features:

- Ergonomic handle makes lid removal easier
- Horizontal stainless steel gauge protected by recessed pocket
- Double O-ring manual air relief
- Redesigned lock-nut with double locking mechanism provides ease of serviceability
- Fiber-reinforced lid and UV resistant material for body and lid
- Larger drain ports 2½in buttress complete with 2in buttress unions
- Improved internal inlet diffusers allow more water across cartridge surface for increased filtration efficiency and energy savings

FCH701100 100 sq ft

FCH701150 150 sq ft

FCH701200 200 sq ft



First Choice Pool & Spa Control

A Pool & Spa Control System that communicates with First Choice and major competitors' pumps and lighting!

Features

- Relocatable 3.2in color touch screen
- Universal; communicates with all major brand lights and pumps
- Variable, single, and 2 speed pump control
- 6 standard relays
- Controls up to 4 valve actuators
- WiFi option

FCH430004



Leaf Canister

Pairs perfectly with the Wave Truck cleaner but can be used with almost any type of pool vacuum including manual and suction side pool cleaners. The no-clog design ensures non-stop water flow while catching all types of debris, that you don't want to clog your pump or damage your equipment.

It easily attaches between two sections of automatic vacuum hose. The leaf trap is engineered for durability and has an easy-open lid for quick access. The heavy duty basket is built to last and is easy to clean.

FCH420560



In-Line Chlorinators

The First Choice In-Line Automatic Chlorinator provides safe and reliable pool sanitation. Durable flow valve dial regulates chlorine or bromine flow and features a true 100% water shut-off to the chlorine chamber. The easy-to-read flow valve dial offers precise settings for efficiency and economy.

Features:

- Easy turn flow valve dial
- Bigger chamber body
- 12 tablet capacity
- Enclosed internal chamber! (no outside hose)
- Check valve to prevent back flow of water from the chlorinator
- 2in socket x 2½in spigot (1½in reducers included)

FCH501001 Chlorinator in-line clear



Diverter Valves

Features:

- Diverter valve seal is teflon (R) laminated silicone
- Unique tru seal manufacturing process results in a seal that never needs lubrication
- Tru seal valves have deeper sockets than other valves providing better glue joint bonding
- The exclusive Click & Lock handle has 72 locking positions for virtually any setting desired
- Exclusive flow labels gives your plumbing a professional look and more value
- Universal shaft spline pattern adapts to most actuators
- NSF approved tru seal diverter valves are made in the USA

FCH901215 1½x2in CPVC 2-Way

FCH901220 2x½in CPVC 2-Way

FCH901315 1½x2in CPVC 3-Way

FCH901325 2x2½in CPVC 3-Way

FCH901323 2½x3in 3-Way



Check Valve

Tru seal check valves have a clear lid with union lock ring and a bright blue seal flapper for quick access and easy inspection. The spring/swing design can be used for both return and intake water. CPVC hi-temp plastic bodies features deeper sockets for better glue joints and are available in a straight body or 90° style.

- Seal flapper is made of hi-tech thermoplastic polymer
- Reversible flow
- Corrosion resistant pin and stainless steel spring
- CPVC body for most demanding applications
- Union lock ring for easy access - no screw holes to strip out
- Low back pressure and high flow
- NSF approved TruSeal valves made in the USA

FCH902225 2x2½in CPVC straight

FCH903201 2x2½in CPVC 90°



CARTRIDGES & GRIDS

Quality replacement cartridges and grids for all the major filter systems for your pool and spa.



CARTRIDGES

Full line of pool and spa cartridges available. Some of our most popular options:

FCH712477	Hayward 3000 • SwimClear • 7x19¾ FC-H7477
FCH712487	Hayward 4000 • SwimClear • 7x25½ FC-H7487
FCH712495	Hayward 5000 • SwimClear • 7x32 ¹³ / ₁₆ FC-H7495
FCH714340	Jandy CL340 • CV340 7inx27in • 85 sq ft • FC-J7459
FCH714460	Jandy CL460 • CV460 7inx27in • 115 sq ft • FC-J7468
FCH714580	Jandy CL580 • CV580 7inx33in • 145 sq ft • FC-J7482
FCH716470	Pentair Clean & Clear 320 • 7x20in FC-P7470
FCH716471	Pentair Clean & Clear 420 • 7x26in FC-P7471
FCH716472	Pentair Clean & Clear 520 • 7x32in FC-P7472
FCH717950	Rainbow Dynamic 50 sq ft • FC-R4950

GRIDS

FCH721424	PRO KIT 24 sq ft universal grid (7LG + 1SM) FC-9520*
FCH721436	PRO KIT 36 sq ft universal grid (7LG + 1SM) FC-9530*
FCH721448	PRO KIT 48 sq ft universal grid (7LG + 1SM) FC-9540*
FCH721460	PRO KIT 60 sq ft universal grid (7LG + 1SM) FC-9550*
FCH721472	PRO KIT 72 sq ft universal grid (7LG + 1SM) FC-9560*
FCH722024	24 sq ft Purex grid (each) FC-H1224
FCH722036	36 sq ft Purex grid (each) FC-H1236
FCH722048	48 sq ft Purex grid (each) FC-H1248
FCH722060	60 sq ft Purex grid (each) FC-H1260
FCH722072	72 sq ft Purex grid (each) FC-H1272

*Also available as individual

O-RINGS

- Made from quality material in the right size for the job
- Sold in various sizes or in kits



FCH211086	O-Ring O-86 Redline Tank O-Ring/Jacuzzi/Purex/Swimrite
FCH211429	O-Ring O-429 Tank Oring DEX2400K Hay C3000 C4000 Micro Clear
FCH211497	O-Ring O-497 Filter Tank Oring/Pentair/C&C/FNS/Quad Filter
FCH211524	O-Ring O-524 Filter Tank Oring/Jandy CL/CV/DEL/DEV SER

SOLAR BLANKETS



Heavy-duty polyethylene material works with the sun to catch and retain heat. Helps raise the water temperature by absorbing sunlight during the day and retaining the heat at night, extending the pool season. Savings come from a reduction in water evaporation. Material is highly resistant to ultraviolet rays which inhibits deterioration

FCH310808	8x8ft solar spa cover
FCH311224	12x24ft 5yr 10mil solar pool cover boxed
FCH311530	15x30ft 5yr 10mil solar pool cover boxed
FCH311632	16x32ft 5yr 10mil solar pool cover boxed
FCH311836	18x36ft 5yr 10mil solar pool cover boxed
FCH312040	20x40ft 5yr 10mil solar pool cover boxed

*Available in other popular sizes

KITS & GO KITS



Prepackaged O-Ring kits, for valves and pumps, are an easy and convenient way to make sure that you are fully prepared with all the orings and seals needed to make a repair. An excellent item to keep stocked on your truck for those unexpected repairs.

FCH211500	Air Relief Oring Kit Hayward DEX2400Z3A/O-500KIT
FCH211512	O-Ring Kit Hayward 2in backwash valve/O-512KIT
FCH211513	O-Ring Kit Pentair/PacFab BW valve plastic/O-513KIT
FCH211515	O-Ring Kit Jandy valves 2x2½in/O-515KIT
FCH213023	O-Ring Kit for PacFab Universal Slide Valve/KIT 23
FCH213001	O-Rings & Seal for Hayward Max Flo 1800-2800/KIT 1
FCH213002	O-Rings & Seal for Hayward Super II 3000-3000X/KIT 2
FCH213032	O-Rings & Seal for Purex Whisperflo (Universal)/KIT 32





Proudly Offers

HEAVY-DUTY D.E. FILTER GRIDS



**REINFORCED CONNECTIONS
AND FRAMES**

Specially designed
for added durability.



WELDED SEAMS

Seams are stitched with heavy-
duty, chemical-resistant string
and are sonic welded to
prevent fraying.



**100%
POLYPROPYLENE
CLOTH**

Finished to our exact standards,
this cloth assures precise control
of filtration efficiency, dirt-
holding, and D.E. cake release,
handling more backwashing to
outlast the competition. Cloth is
rot and mildew resistant and has
excellent resistance to alkalis
and acids.



FEWER GLUE JOINTS

These combine with reinforced
grid spines to increase the
torsional strength and prevent
snapping when assembling the
manifold.

**COMPLETE PRO KITS
AVAILABLE**

Universal Grids are available in
complete Pro Kits with seven
full and one partial grid for a
complete filter change-out.



www.firstchoicepool.com

EXCLUSIVELY AVAILABLE FOR POOL PROFESSIONALS AT:



Bel-Aqua.com • Conelyco.com • Fwppool.com • Mayfieldpoolsupply.com • Pooelectrical.com



VISIT US AT:
www.firstchoicepool.com

